

EN



The Multi-Sport-Catamaran

Sailing, Rowing, SUP, Motor

www.x-cat.com



10 parts
total weight 20 kg (44 lbs)



Approved for: 1-3 persons + luggage,
total payload up to 240 kg (529 lbs)

Design category: C

Width: 2.08 m (6'11")

Length: 5 m (16'5")

Height: 5.1 m (16'9")

Total weight: 75 kg (165 lbs)

(Basic boat 55 kg (121 lbs) + complete
sail option 20 kg (44 lbs))

Mast length: 4.5 m (14'9") (2-piece)

Total sail area: 8.4 m² (90.5 ft²),

(Main sail: 5.2 m² (56 ft²))

Genoa: 3.2 m² (35 ft²)



Super quick assembly

A quick sail in the afternoon?
With an **assembly time of just 12 minutes**, that's no problem. And of course no tools are needed. You can also rig the mast while afloat. That's essential for touring and trekking.

This is a unique feature: steering with weight trim.

Extremely smooth in the water. Plenty of speed with just a little wind. A short mast and adequate sail size (90.5 ft²) gives a lot of safety.

It is fast:

1-2 bft. = 10 km/h, 2-3 bft. = 20 km/h, 4-5 bft. = 28 km/h thanks to the lightweight hulls, the low overall weight of approx. 75 kg (XCAT + sailing rig) and a unique mainsail, which generates a lot of power with **simple rope rings**.





Excerpt from our accessories

ranging from a practical carrying bag to an anchor – more accessories can be found on our website or in our product brochure.



Launching trolley # 980 421
With full-width axle, telescopic rod (135 (53") - 240 cm (95")) and 2 pneumatic tires, ø 260 mm (8.0"), 85 mm (3.35") wide.



Launching cradles # 980 416
2 units, each with 2 pneumatic tires, ø 260 mm (8.0"), 85 mm (3.35") wide.



Motor mount on crossbar # 085 403
Combinable with rudder (instead of the original crossbar).



Tiller-Fix # 980 440
Easy stabilization of the tiller. Can be adjusted precisely. Ideal for Stand Up Paddling and sailing single-handed.



Hiking seats # 980 432
With mounting for sculls or SUP paddle modular and incl. bag – mounted on the side beam (1 pair).



Bow net „Sail“ # 980 427
For stowing luggage. Stabilize the bowsprit with the Sail option.



BASIC

The world's first hard-hulled catamaran that can easily be transported on the roof of your car.



Length: 5 m (16'5")
Width: 2.08 m (6'1")
Height: 0.55 m (21.65")
Load capacity: 260 kg (573 lbs)



The XCAT Basic is completely assembled in 3 minutes.

The HDPE hull skin and the EPP foam core ensure durable and lightweight hulls.



VISTA

High-tech forward rowing system



With RowVista®, the innovative system with integrated blade feathering, you row in the direction you are facing and avoid damaging your boat and oars.



MOTION

Classic reverse rowing system



Rowing in reverse in the way it has been done for hundreds of years. A catamaran gives you immense stability and, as a result, a high level of safety.

The **adjustable oarlocks** snap onto the side beams without the need for tools. The height of the oarlocks can be adjusted, using different sized spacer bushings.

The **sliding seat** runs smoothly and quietly along the center beam on six ball bearings. The **foot stretcher unit** is attached onto the center beam and can be locked in 5 positions for optimum weight distribution.

An **adjustable stop** limits movement to the rear so that you can row without using foot straps. Very comfortable if you want to row barefoot in the summer.



1. Powerful rocker arm / 2. High strength con rods with ball heads / 3. Positioning cam for defined blade positions / 4. Smooth running ball bearings for easy oar blade feathering / 5. Carbon fibre tubes for handle and oar blade / 6. Release leash to fold up the sculls / 7. high strength pivot rowlock



Crossbeam Wheel Bag # 980 006
195 x 38 x 25 cm (6'5" x 1'3" x 10")
Bag for stowing and transporting the aluminum crossbars and Sail option without mast. Included are 2 separate bags for Steering ruder and Jib sprite.



Trampoline / Mast Bag # 980 005
242 x 16 x 20 cm (7'11" x 6" x 8")
For transporting the sailing mast and furling trampoline with side beams and center beam.



XCAT roof rack accessories for Thule Wingbar # 980 810
Designed specifically for Thule Wingbar. 2x PUR hull cushions, 4x PUR strap cushions, connection unit, 2x straps 25 mm (1") - 2.9 m (9'6"), 2x straps 18 mm (0.75") - 1.25 m (4'1").



XCAT roof rack accessories T-slot # 980 807
Suitable for Thule Aerobar, VW and other brands. 2 support profiles, 4x PUR strap cushions, connection unit, 2x straps 25 mm (1") - 2.9 m (9'6"), 2x straps 18 mm (0.75") - 1.25 m (4'1").





ROW & SAIL

Row&Sail GmbH

Gewerbezeile 9 | 4040 Lichtenberg / Linz | Austria
+43 7239 202 75 | office@rowandsail.com

www.rowandsail.com

Dealer

